

Review Article

# Application of nanoparticles in agriculture and vegetable seed germination

Arivalagan Gomathi, Karri Rama Krishna, Iyadurai Arumuka Pravin, Alagarsamy Rameshkumar, Velayutham Thondaiman, Sundaresan Srivignesh\*

Department of Horticulture, School of Life Sciences, Central University of Tamil Nadu Thiruvarur - 610 005, Tamil Nadu, India.

\*Correspondence Sundaresan Srivignesh srivignesh@cutn.ac.in

Volume: 11, Issue: 2, Pages: 1-10

DOI: https://doi.org/10.37446/jinagri/ra/11.2.2024.1-10

Received: 10 January 2024 / Accepted: 20 May 2024 / Published: 30 June 2024

The potential revolutionary impact of nanoparticles in agriculture has made them the subject of considerable interest in recent years. This review investigates nanoparticle's effects on the germination process of vegetable seeds. It analyzes the influence of nanoparticles on seed viability, development dynamics, and the overall health of plants. This review comprehensively examines the extant literature to clarify the mechanisms contributing to improving seed germination via nanoparticles. It emphasizes critical elements, including the type and concentration of nanoparticles and the manner of application. In addition, the review examines potential obstacles and apprehensions linked to the application of nanoparticles in agriculture, encompassing safety concerns and ecological ramifications. By analyzing the current research findings, this review offers significant insights into the potential of nanoparticles to enhance the germination of vegetable seeds. Additionally, it establishes a foundation for future research directions in this rapidly developing domain.

Keywords: nanoparticles, nanotechnology, seed germination, silica nanoparticles, selenium biofortification

#### Introduction

The utilization of nanoparticles is on the rise across numerous sectors, including agriculture. Microscopic particles, which generally span a range of 1 to 100 nanometers, exhibit distinct characteristics that may be utilized in agricultural contexts (Usman et al., 2020). Recent advancements in the field of nanotechnology include the utilization of gold nanoparticles for rapid testing of COVID-19 antibodies, the implementation of 3D printing on glass without the need for sintering, and the identification of an unprecedented topological phase within twisted bilayers, all of which hold promise for further revolutionary developments in nanotechnology. These advancements underscore nanotechnology's multifaceted capabilities in materials science, energy, electronics, and medicine. The field of agriculture has witnessed the development of agrochemicals that have the potential to enhance crop yields and mitigate adverse environmental effects (Ali et al., 2018).

Nanoscale sensors are more cost-effective, quicker, sensitive, and user-friendly when identifying food, water, and soil pollutants, including heavy metals, pesticides, and diseases. The intelligent properties of agri-inputs, including targeted delivery, controlled release, enhanced solubility, and prolonged shelf life, can be enhanced through nanotechnology-based methods (Chhipa, 2019). In addition, it can facilitate sustainable and precise cultivation; however, some obstacles must be surmounted (Du et al., 2023). The application of nanoparticles in the agricultural sector is on the rise to increase crop yields, improve nutrient absorption, and lessen the environmental damage caused by pesticides.

Silver, titanium dioxide, and silica nanoparticles are frequently employed in agriculture (Rastogi et al., 2019). The application of silver nanoparticles involves the management of plant maladies, whereas titanium dioxide nanoparticles are utilized to enhance photosynthesis efficiency and provide UV protection. In addition to facilitating nutrient

www.cornous.com

1

absorption by plants, silica nanoparticles enhance soil quality and water retention (Mihata et al., 2015). Active research is being conducted to determine the effect of nanoparticles on vegetable germination; thus far, the results have been varied. Specific nanoparticles, including silver nanoparticles, have been shown in some studies to inhibit the germination of seeds and the growth of roots in specific vegetable species (Singh et al., 2013).

Certain crops, including soybeans and wheat, may experience enhanced germination and development when nanoparticles are utilized (Iavicoli et al., 2017). Existing studies suggest nanoparticles could influence vegetable seed germination in favorable and unfavorable ways; therefore, additional research is required to evaluate their potential environmental repercussions and safety.

## Agricultural applications of various nanoparticles

## Silica nanoparticles

Multiple researches have been carried out to investigate the influence of silica nanoparticles on the germination of vegetable seeds. Several studies have demonstrated that silica nanoparticles can stimulate the process of germination and promote the development of specific plants, such as tomatoes and cucumbers. This phenomenon is attributed to the capacity of silica nanoparticles to enhance soil composition and increase the accessibility of nutrients. Nevertheless, other research has demonstrated that silica nanoparticles might adversely impact the process of vegetable seed germination and hinder their growth.

The presence of nanoparticles may cause toxicity, resulting in oxidative stress and harm to plant cells. Additional study is typically necessary to establish permissible limits of exposure and fully understand the impact of silica nanoparticles on the germination and development of vegetables.

## Polymer nanoparticles

Polymer nanoparticles, defined as particles composed of polymer materials with dimensions less than one micron, exhibit unique properties that make them very adaptable for a wide range of applications in many fields. Nanoparticles have a crucial role in medicine by improving drug delivery through controlled release, enhancing drug stability and absorption, and maximizing therapeutic results (Zielińska et al., 2020). Polymer nanoparticles have significant applications in various fields, including healthcare, biosensing, adaptive materials, composite materials at the nanoscale, agriculture, and environmental sectors. They contribute to advancements in efficiency and sustainability in these areas (Adhikari, 2021).

Polymeric nanoparticles are produced using several methods, such as emulsion polymerization, nanoprecipitation, and electrostatic self-assembly (Madkour, 2019). The choice of methodology depends on the intended usage, desired particle size, and unique characteristics of the polymer being employed. Polymeric nanoparticles are highly versatile and helpful in the field of nanotechnology. They have the potential to impact significantly sectors like healthcare, energy production, and environmental sciences by providing innovative solutions and advancements (Khan et al., 2019).

## Silver nanoparticles

Silver nanoparticles are tiny particles of silver that have a size ranging from 1 to 100 nanometers (Zhang et al., 2016). Nanoparticles possess distinctive optical, electrical, and chemical characteristics that render them valuable in many domains, such as medicine, electronics, and environmental science (Sweet & Singleton, 2011). Silver nanoparticles have been utilized in biomedical applications due to their antibacterial qualities, which enable them to eradicate germs and viruses efficiently.

Furthermore, their prospective applications in cancer therapy, medication administration, and wound healing have been thoroughly investigated (Tymoszuk & Wojnarowicz, 2020). Nevertheless, there are apprehensions regarding the possible toxicity of silver nanoparticles to living creatures and the environment. Research has demonstrated silver nanoparticles can induce oxidative stress, inflammation, and cell DNA damage (Rastogi et al., 2019). In addition, silver nanoparticles can accumulate in soil and water, leading to adverse effects on aquatic life and altering ecosystems (Usman et al., 2020). Silver nanoparticles exhibit immense potential for several uses.

#### **Nanofertilizers**

Nano fertilizers are an innovative type of fertilizers that employ nanotechnology to enhance the absorption of nutrients and promote plant development. These fertilizers are usually made of nanoparticles specifically engineered to gradually and effectively minimize wastage and enhance the fertilizer's efficiency (Ali et al., 2018). Research has demonstrated that nanofertilizers can enhance agricultural productivity, enhance plant well-being, and mitigate the ecological consequences of conventional fertilizers (Verma et al., 2021). Additionally, they have the potential to enhance nutrient utilization efficiency, mitigate fertilizer runoff, and minimize soil and water contamination (Babu et al., 2022).

There is increasing concern about the potential hazards that nanoparticles may present to living organisms and ecosystems, including worries about the long-term effects of nano-fertilizers on soil health and plant growth. These problems emphasize the necessity for more investigation and meticulous evaluation of nanoparticle utilization in agriculture to guarantee safety and long-term viability (Davarpanah et al., 2016).

#### Selenium nanofertilizers

Research has demonstrated that selenium nanoparticles (SeNPs) can benefit the development and productivity of vegetables. Studies have shown that SeNPs are less harmful to plants than selenate or selenite. Additionally, they can enhance plant development, antioxidant activity, and the uptake of essential minerals like selenium, zinc, and iron in vegetables (Hernández et al., 2019). Applying Se NPs to tomato plants resulted in higher fruit output and increased levels of lycopene, β-carotene and crucial antioxidants (Hernández et al., 2019).

Applying SeNPs enhanced growth and antioxidant activity in lettuce plants, along with the leaves' higher accumulation of selenium, zinc, and iron (Jakhar et al., 2022). However, the effect of selenium nanoparticles on vegetables might differ depending on the concentration used, the type of vegetable, and the environmental circumstances in which they are grown. A thorough study is necessary to fully understand the benefits and potential risks of using Se NPs as a vegetable fertilizer.

#### **Selenium biofortification**

Selenium biofortification is increasing the selenium content in crops by using fertilizers that are enhanced with selenium or by implementing specific agricultural procedures. Selenium is a crucial trace element that significantly impacts human well-being, and a lack of it can result in various health issues (Revelou et al., 2022). Research has demonstrated that selenium biofortification can enhance the selenium levels in vegetables, enhancing their nutritious value. Applying selenium fertilizers to broccoli plants has been discovered to enhance the selenium levels in the broccoli florets and their antioxidant activity (Wiesner-Reinhold et al., 2017). Furthermore, research conducted by Golubkina et al., (2019) has demonstrated that applying selenium fertilizers may enhance the selenium levels in many plants, including lettuce, cabbage, and tomato.

Prudent management of selenium fertilizers is crucial to prevent excessive application and toxicity to plants and the environment. While selenium biofortification can enhance the nutritional value of vegetables and treat selenium insufficiency in humans, further research is necessary to thoroughly evaluate the benefits and possible risks associated with selenium biofortification. In addition, vegetables belonging to the cruciferous family, as well as garlic and onions, are known for their capacity to collect significant amounts of selenium. The enrichment potential of these vegetables varies from less than 0.5 mg/kg to values ranging between 140 and 300 mg/kg (Sravani et al., 2021). Leafy vegetables loaded with selenium can enhance the amount of selenium humans consume in their diet, leading to long-term health improvements.

#### **Copper oxide nanoparticles**

Using copper oxide nanoparticles (CuONPs) in agriculture can improve crop yields and pest resistance. Still, research into these applications and their effects on vegetable cultivation has found that CuO NPs may have adverse effects on vegetable propagation, such as suppressing seed germination, stunting the growth of shoots and roots, and reducing crop photosynthetic efficiency (Rajput et al., 2022). Vegetables can be polluted by metal-containing nanoparticles such as CuONPs by their absorption in the leaves. This contamination is due to the increased use of these nanoparticles in urban areas and can lead to phytotoxicity, as mentioned by Xiong et al. (2017) and Margenot et al. (2018).

While utilizing CuONPs in agriculture might enhance crop productivity and resistance against pests, it is essential to exercise meticulous control over their administration to avoid adverse environmental or public health impacts (Wu et al., 2020).

Studies have demonstrated that CuONPs might hurt the growth and development of lettuce and carrots. A study conducted by Rajput et al., 2023 revealed that CuO NPs had a detrimental impact on the antioxidative defense and growth of lettuce seedlings. The CuONPs exhibited a correlation between their concentration and the growth in root diameter of lettuce and carrot seedlings. However, they also caused a decrease in the hydraulic conductivity of lettuce roots (Xiong et al., 2017).

#### Silver nanoparticles

Research indicates that silver nanoparticles (AgNPs) can positively and negatively affect vegetables. These effects might be helpful or destructive. Positively, it has been established that AgNPs can improve the post-harvest shelf life of fruits and vegetables by limiting the formation of microorganisms (Tymoszuk & Wojnarowicz, 2020). AgNPs, on the other hand, have the potential to have phytotoxic effects on vegetables. These effects include the inhibition of seed germination, the reduction of root and shoot growth, and the influence on the biochemical activity of seedlings (Budhani et al., 2019). There is a possibility that AgNPs might induce phytotoxicity in vegetables because they can generate reactive oxygen species, which can cause oxidative damage to plants (Shams et al., 2013). Depending on the kind of vegetable, the concentration of AgNPs, and the length of exposure might impact vegetables.

#### Zinc oxide nanoparticles

The growth and development of vegetables are adversely and positively impacted by zinc oxide nanoparticles (ZnONPs). The ZnONPs have been observed to promote the growth of various vegetables, such as tomatoes and lettuce, as measured by germination rate, root length, and shoot length (Wang et al., 2012). Research has demonstrated that it has the potential to improve the nutritional content of vegetables by facilitating the absorption of zinc, an essential micronutrient (Mao-Hong et al., 2021). Conversely, ZnONPs may induce vegetable phytotoxicity. This can manifest as antagonizing seed germination, impeding the development of roots and shoots, and impairing the antioxidant capacity of seedlings (Mao-Hong et al., 2021).

The phytotoxic effects observed on vegetables may be attributed to the capacity of ZnO NPs to induce oxidative stress in plants by producing reactive oxygen species (Raskar & Laware, 2014). The utilization of metal-containing nanoparticles, including ZnONPs, is expanding in the agricultural sector. The accumulation of these particles in soil and water can result in environmental contamination and detrimental effects on ecosystems (Song & Kim, 2020).

## Nanoparticle influence: exploring growth dynamics in vegetable crops

#### Nanoparticle impact on tomato

Numerous studies have investigated nanoparticles' impact on tomato seeds' germination. Many research studies have investigated the effects of diverse nanoparticles on tomato plants. As an illustration, one study demonstrated that silver nanoparticles (AgNPs) have a beneficial effect on the growth and biochemical activity of tomato seedlings, leading to elevated levels of chlorophyll, roots, and shoots (Wang et al., 2012). An additional investigation revealed that titanium dioxide nanoparticles (TiO<sub>2</sub>NPs) had a beneficial effect on the growth and productivity of tomato plants, as well as on the weight and dimensions of the mature produce (Wang et al., 2012).

Conversely, certain studies have documented the adverse effects that nanoparticles can have on tomato plants. This can be seen in the findings of Elmer & White (2016), who observed that nickel oxide nanoparticles (NiONPs) induced a decline in the growth of roots and shoots of tomato plants and impeded seed germination. ZnONPs were observed to have a detrimental impact on the growth and productivity of tomato plants. This effect may be attributed to generating reactive oxygen species and introducing oxidative stress. AgNPs significantly increased tomato seedlings' biomass, root length, stem length, and germination rate (Tymoszuk, 2021). Tomato seedling growth was enhanced by the administration of TiO<sub>2</sub> NPs (Parveen et al., 2022). It was discovered that the application of CuONPs and ZnONPs inhibited tomato germination and growth rate (Mao-Hong et al., 2021; Wang et al., 2012).

## Nanoparticle impact on brinjal

Numerous studies have examined the impact of nanoparticles on the growth and development of brinjal. The AgNPs significantly enhanced the germination rate, root length, limb length, and biomass of brinjal seedlings (Tumpa et al., 2017). According to a separate study, zinc oxide nanoparticles improved the growth and yield of brinjal plants by increasing their zinc intake. A study by Baskar et al. (2018) revealed that brinjal seedlings exposed to CuO NPs exhibited reduced biomass, root length, stalk length, and germination rate. The application of TiO<sub>2</sub> NPs was found to impede the growth and productivity of brinjal plants due to the generation of reactive oxygen species and the induction of oxidative stress (Thunugunta et al., 2018).

## Nanoparticle impact on bhendi

Limited research has been conducted on the effect of nanoparticles on the germination of bhendi (okra) seeds. Conversely, a study by Tumpa et al. (2017) revealed that bhendi seedlings exposed to silver nanoparticles (AgNPs) exhibited significantly enhanced germination rate, root length, stalk length, and biomass. The ZnONPs inhibited the germination rate of bhendi seeds and promoted the growth of seedlings (Nagarajan et al., 2020).

## Nanoparticle impact on lettuce

Numerous studies have examined the effect of nanoparticles on the germination of lettuce seeds. The AgNPs significantly increased the germination rate, root length, branch length, and biomass of lettuce seedlings (Tymoszuk, 2021; Hasan et al., 2021). Zinc oxide nanoparticles enhanced lettuce seeds' germination rate and seedling growth (Pelegrino et al., 2020). It was discovered that lettuce seed germination was inhibited by exposure to TiO<sub>2</sub> NPs and CuONPs (Pelegrino et al., 2020; Lima et al., 2023).

#### Nanoparticle impact on carrot

The comprehensive investigation of the influence of nanoparticles on carrot seed germination remains limited. The application of TiO<sub>2</sub> NPs and ZnONPs significantly increased the germination rate and root length of carrot seedlings (Elizabath et al., 2019; Wang et al., 2012). Carrot seed germination was observed to be inhibited by AgNPs and CuONPs (Margenot et al., 2018; Sharma et al., 2021).

## Nanoparticle impact on radish

Numerous studies have investigated the effect of nanoparticles on radish seed germination. Several research studies have demonstrated that specific varieties of nanoparticles, including silver nanoparticles, may inhibit the growth and germination of radish plants. Additional research has demonstrated that nanoparticles have the potential to promote germination and enhance the development of radish plants. It is critical to acknowledge that the effect of nanoparticles on radish germination can be contingent upon several variables, such as the specific nanoparticle type, the concentration of nanoparticles, and the exposure duration.

## Nanoparticle impact on cauliflower

It has been discovered that Ag NPs at modest concentrations (up to 10 ppm) promote root and plant growth, thereby enhancing the germination of cauliflower seeds. The AgNPs may harm seedlings at higher concentrations (Singh et al., 2017). It has also been demonstrated that higher concentrations (up to 1000 ppm) of zinc oxide nanoparticles promote the germination of cauliflower seeds, resulting in the development of lengthier shoots and roots (Singh et al., 2013). Research has demonstrated that TiO<sub>2</sub>NPs can influence the germination of cauliflower seeds in both positive and negative ways, contingent upon the dosage and duration of exposure.

Research has demonstrated that prolonged exposure periods and higher doses inhibit germination, whereas brief exposure times and low concentrations (up to 50 ppm) can promote germination (Kang & Lee, 2020). Tang et al. (2015) reported that introducing silver nanoparticles at moderate concentrations (10 ppm) benefited the germination and growth of cauliflower. Applying zinc oxide nanoparticles at modest concentrations (50 ppm) positively impacted cauliflower germination and development.

## Nanoparticle impact on leafy vegetables

Titanium dioxide nanoparticles, when applied at modest concentrations of 10 ppm, were found to positively influence the germination and development of lettuce (Sigamoney et al., 2016). The Low concentrations (50 ppm) of zinc oxide nanoparticles applied to spinach also promoted its germination and development (Xiong et al., 2021). Low concentrations (10 ppm) of silver nanoparticles positively influenced the germination and growth of amaranthus (Sharifan et al., 2020). An additional investigation conducted by Rekha et al. (2019) discovered that using copper oxide nanoparticles at minimal concentrations (50 ppm) positively influenced the germination and growth of amaranthus.

## Nanoparticle impact on broccoli

Low concentrations (10 ppm) of silver nanoparticles positively influenced broccoli's germination and growth (Al-Shammari and Abbas, 2023). Kapur et al. (2017) found that the germination and growth of broccoli were positively influenced by the application of silicon dioxide nanoparticles at modest concentrations (50 ppm).

#### Conclusion

Numerous studies were reported on the effect of different nanoparticles on the growth and development of various plant species, including broccoli, cauliflower, lettuce and amaranthus. Based on the results obtained from those studies, applying specific nanoparticles in minute quantities might facilitate the germination and growth of stated plants. It is imperative to bear in mind that the utilization of nanoparticles in agricultural practices is still developing, necessitating additional research to fully grasp the benefits and drawbacks associated with their implementation on plant growth and development.

Additionally, environmental and public health safety must be maintained when nanoparticles are utilized in agriculture. It is vital to remember that numerous factors, including the type of plant, the quantity and nature of the particles, and the duration of exposure, can influence how nanoparticles affect plant growth and development.

#### **Author contributions**

AG drafted the manuscript and completed the necessary revisions. Corrections to the manuscript were made by KRK, IAP, ARK, and TV; SS was responsible for the framework, revision, and overall supervision.

## **Funding**

No funding.

# **Conflict of interest**

The author declares no conflict of interest. The manuscript has not been submitted for publication in any other journal.

# **Ethics approval**

Not applicable

#### References

Adhikari, T. (2021). Nanotechnology in environmental soil science. Soil Science: Fundamentals to Recent Advances, 297-309.

Ali, S., Shafique, O., Mahmood, T., Hanif, M. A., Ahmed, I., & Khan, B. A. (2018). A review about perspectives of nanotechnology in agriculture. *Pakistan Journal of Agricultural Research*, 30(2), 116-121.

Babu, S., Singh, R., Yadav, D., Rathore, S. S., Raj, R., Avasthe, R., ... & Singh, V. K. (2022). Nanofertilizers for agricultural and environmental sustainability. *Chemosphere*, 292, 133451.

Baskar, V., Nayeem, S., Kuppuraj, S. P., Muthu, T., & Ramalingam, S. (2018). Assessment of the effects of metal oxide nanoparticles on the growth, physiology and metabolic responses in in vitro grown eggplant (Solanum melongena). 3 Biotech, 8(8), 362.

Budhani, S., Egboluche, N. P., Arslan, Z., Yu, H., & Deng, H. (2019). Phytotoxic effect of silver nanoparticles on seed germination and growth of terrestrial plants. *Journal of Environmental Science and Health, Part C*, 37(4), 330-355.

Chhipa, H. (2019). Applications of nanotechnology in agriculture. In Methods in microbiology (Vol. 46, pp. 115-142). Academic Press.

Davarpanah, S., Tehranifar, A., Davarynejad, G., Abadía, J., & Khorasani, R. (2016). Effects of foliar applications of zinc and boron nano-fertilizers on pomegranate (*Punica granatum* cv. Ardestani) fruit yield and quality. *Scientia Horticulturae*, 210, 57-64.

Du, Y., Zhou, J., He, F., Zang, P., Gong, H., Liu, C., & Yang, P. (2023). A bright future: Advanced nanotechnology-assisted microwave therapy. *Nano Today*, *52*, 101963.

Elizabath, A., Babychan, M., Mathew, A. M., & Syriac, G. M. (2019). Application of nanotechnology in agriculture. *International Journal of Pure and Applied Bioscience* 7(2), 131-139.

Elmer, W. H., & White, J. C. (2016). The use of metallic oxide nanoparticles to enhance growth of tomatoes and eggplants in disease infested soil or soilless medium. *Environmental Science: Nano, 3*(5), 1072-1079.

Golubkina, N., Zamana, S., Seredin, T., Poluboyarinov, P., Sokolov, S., Baranova, H., ... & Caruso, G. (2019). Effect of selenium biofortification and beneficial microorganism inoculation on yield, quality and antioxidant properties of shallot bulbs. *Plants*, 8(4), 102.

Hasan, M., Mehmood, K., Mustafa, G., Zafar, A., Tariq, T., Hassan, S. G., ... & Shu, X. (2021). Phytotoxic evaluation of phytosynthesized silver nanoparticles on lettuce. *Coatings*, 11(2), 225.

Hernández-Hernández, H., Quiterio-Gutiérrez, T., Cadenas-Pliego, G., Ortega-Ortiz, H., Hernández-Fuentes, A. D., Cabrera de la Fuente, M., ... & Juárez-Maldonado, A. (2019). Impact of selenium and copper nanoparticles on yield, antioxidant system, and fruit quality of tomato plants. *Plants*, 8(10), 355.

Iavicoli, I., Leso, V., Beezhold, D. H., & Shvedova, A. A. (2017). Nanotechnology in agriculture: Opportunities, toxicological implications, and occupational risks. *Toxicology and Applied Pharmacology*, 329, 96-111.

Jakhar, A. M., Aziz, I., Kaleri, A. R., Hasnain, M., Haider, G., Ma, J., & Abideen, Z. (2022). Nano-fertilizers: A sustainable technology for improving crop nutrition and food security. *NanoImpact*, 27, 100411.

Kang, H. H., & Lee, D. H. (2020). Fabrication and characterization of cauliflower-like silica nanoparticles with hierarchical structure through ion beam irradiation. *Journal of Solid State Chemistry*, 289, 121528.

Kapur, M., Soni, K., & Kohli, K. (2017). Green synthesis of selenium nanoparticles from broccoli, characterization, application and toxicity. *Advanced Technology in Biology and Medicine*, *5*(1), 2379-1764.

Khan, I., Saeed, K., & Khan, I. (2019). Nanoparticles: Properties, applications and toxicities. *Arabian Journal of Chemistry*, 12(7), 908-931.

Lima, A. K. M., Carvalho, A. V. F., de Paiva Pinheiro, S. K., Torres, Y., Miguel, T. B. A. R., Pireda, S. F., ... & de Castro Miguel, E. (2023). Effect of TiO<sub>2</sub> Microparticles in Lettuce (*Lactuca sativa* L.) Seeds and Seedlings. *Bulletin of Environmental Contamination and Toxicology*, 110(6), 116.

Madkour, L. H. (2019). Introduction to nanotechnology (NT) and nanomaterials (NMs). Nanoelectronic materials: fundamentals and applications, 1-47. Cham: Springer International Publishing.

- Mao-Hong, L., Mei-Mei, S., Jia-Ni, W., Hui-Ling, C., Yi-Meng, X., & Wei-Tao, L. (2021). Effects of zinc oxide nanoparticles on germination and seedling growth of two vegetables. *Journal of Agriculture Resources and Environment*, 38(1), 72.
- Margenot, A. J., Rippner, D. A., Dumlao, M. R., Nezami, S., Green, P. G., Parikh, S. J., & McElrone, A. J. (2018). Copper oxide nanoparticle effects on root growth and hydraulic conductivity of two vegetable crops. *Plant and Soil*, 431, 333-345.
- Mihata, A., Usman, R., & Kurawaki, J. (2015). Selective synthesis of gold nanoparticles in water/alcohol binary solution systems by ultrasonic irradiation. *e-Journal of Surface Science and Nanotechnology*, 13, 427-430.
- Nagarajan, A., Balasubramani, V., Sethuraman, V., Sridhar, T. M., Sasikumar, R., & Vimala, G. (2020). *Solanum melongena* leaf extract based zinc oxide nanoparticles synthesis using green chemistry concepts. *Indian Journal of Chemistry-Section A (IJCA)*, 59(9), 1273-1277.
- Parveen, K., Kumar, N., & Ledwani, L. (2022). Green Synthesis of Zinc Oxide Nanoparticles Mediated from *Cassia renigera* Bark and Detect Its Effects on Four Varieties of Rice. *Chemistry Select*, 7(17), e202200415.
- Pelegrino, M. T., Kohatsu, M. Y., Seabra, A. B., Monteiro, L. R., Gomes, D. G., Oliveira, H. C., ... & Lange, C. N. (2020). Effects of copper oxide nanoparticles on growth of lettuce (Lactuca sativa L.) seedlings and possible implications of nitric oxide in their antioxidative defense. *Environmental Monitoring and Assessment*, 192(4), 232.
- Rajput, V. D., Faizan, M., Upadhyay, S. K., Kumari, A., Ranjan, A., Sushkova, S., ... & Deryabkina, I. (2022). Influence of nanoparticles on the plant rhizosphere microbiome. In The Role of Nanoparticles in Plant Nutrition under Soil Pollution: Nanoscience in Nutrient Use Efficiency (pp. 83-102). Cham: Springer International Publishing.
- Rajput, V. D., Singh, A., Rawat, S., Sharma, R., Minkina, T. M., Singh, A. K., ... & Nazarenko, O. (2023). Nanotechnology as the cutting edge for sustainable agriculture. In Nanotechnology for Sustainable Agriculture (pp. 3-15). Apple Academic Press.
- Raskar, S. V., & Laware, S. L. (2014). Effect of zinc oxide nanoparticles on cytology and seed germination in onion. *International Journal of Current Microbiology and Applied Sciences*, *3*(2), 467-473.
- Rastogi, A., Tripathi, D. K., Yadav, S., Chauhan, D. K., Živčák, M., Ghorbanpour, M., ... & Brestic, M. (2019). Application of silicon nanoparticles in agriculture. *3 Biotech*, *9*(3), 90.
- Rekha, R., Divya, M., Govindarajan, M., Alharbi, N. S., Kadaikunnan, S., Khaled, J. M., ... & Vaseeharan, B. (2019). Synthesis and characterization of crustin capped titanium dioxide nanoparticles: Photocatalytic, antibacterial, antifungal and insecticidal activities. *Journal of Photochemistry and Photobiology B: Biology*, 199, 111620.
- Revelou, P. K., Xagoraris, M., Kokotou, M. G., & Constantinou-Kokotou, V. (2022). Cruciferous vegetables as functional foods: Effects of selenium biofortification. *International Journal of Vegetable Science*, 28(3), 191-210.
- Shams, G., Ranjbar, M., & Amiri, A. (2013). Effect of silver nanoparticles on concentration of silver heavy element and growth indexes in cucumber (Cucumis sativus L. negeen). Journal of nanoparticle research, 15(5), 1630.
- Sharifan, H., Moore, J., & Ma, X. (2020). Zinc oxide (ZnO) nanoparticles elevated iron and copper contents and mitigated the bioavailability of lead and cadmium in different leafy greens. *Ecotoxicology and Environmental Safety*, 191, 110177.
- Sharma, G., Park, S. C., Bandi, R., Ahn, J., Alle, M., & Kim, J. C. (2021). Polyquaternium enhances the colloidal stability of chitosan-capped platinum nanoparticles and their antibacterial activity. *Nanotechnology*, 32(45), 455603.
- Sigamoney, M., Shaik, S., Govender, P., & Krishna, S. B. N. (2016). African leafy vegetables as bio-factories for silver nanoparticles: a case study on *Amaranthus dubius* C Mart. Ex Thell. *South African Journal of Botany*, *103*, 230-240.

- Singh, A., Singh, N. B., Hussain, I., & Singh, H. (2017). Effect of biologically synthesized copper oxide nanoparticles on metabolism and antioxidant activity to the crop plants *Solanum lycopersicum* and *Brassica oleracea* var. *botrytis*. *Journal of Biotechnology*, 262, 11-27.
- Singh, N. B., Amist, N., Yadav, K., Singh, D., Pandey, J. K., & Singh, S. C. (2013). Zinc oxide nanoparticles as fertilizer for the germination, growth and metabolism of vegetable crops. *Journal of Nano engineering and Nanomanufacturing*, 3(4), 353-364.
- Song, U., & Kim, J. (2020). Zinc oxide nanoparticles: a potential micronutrient fertilizer for horticultural crops with little toxicity. *Horticulture, Environment, and Biotechnology, 61*(3), 625-631.
- Sravani, A., Sharma, S., & Kalia, A. (2021). Effect of selenium enriched wheat substrate on the nutritional and antioxidant properties of *Pleurotus* spp. *Acta Alimentaria*, 50(3), 358-368.
- Sweet, M. J., & Singleton, I. (2011). Silver nanoparticles: a microbial perspective. *Advances in Applied Microbiology*, 77, 115-133.
- Tang, W., Eilers, J. J., van Huis, M. A., Wang, D., Schropp, R. E., & Di Vece, M. (2015). Formation and photoluminescence of "cauliflower" silicon nanoparticles. *The Journal of Physical Chemistry C*, 119(20), 11042-11047.
- Thunugunta, T., Channa Reddy, A., Kodthalu Seetharamaiah, S., Ramanna Hunashikatti, L., Gowdra Chandrappa, S., Cherukatu Kalathil, N., & Dhoranapalli Chinnappa Reddy, L. R. (2018). Impact of Zinc oxide nanoparticles on eggplant (*Solanum melongena*): studies on growth and the accumulation of nanoparticles. *IET Nanobiotechnology*, 12(6), 706-713.
- Tumpa, F. H., Alam, M. Z., Meah, M. B., & Khokon, M. A. R. (2017). Yeast elicitor and chitosan in controlling seed-borne fungi of bean, okra and radish. *Bangladesh Journal of Plant Pathology*, 33, 11-20.
- Tymoszuk, A. (2021). Silver nanoparticles effects on in vitro germination, growth, and biochemical activity of tomato, radish, and kale seedlings. *Materials*, 14(18), 5340.
- Tymoszuk, A., & Wojnarowicz, J. (2020). Zinc oxide and zinc oxide nanoparticles impact on in vitro germination and seedling growth in *Allium cepa* L. *Materials*, 13(12), 2784.
- Usman, M., Farooq, M., Wakeel, A., Nawaz, A., Cheema, S. A., ur Rehman, H., ... & Sanaullah, M. (2020). Nanotechnology in agriculture: Current status, challenges and future opportunities. *Science of the Total Environment,* 721, 137778.
- Verma, D. K., Patel, S., & Kushwah, K. S. (2021). Effects of nanoparticles on seed germination, growth, phytotoxicity and crop improvement. *Agricultural Reviews*, 42(1), 1-11.
- Wang, Q., Ma, X., Zhang, W., Pei, H., & Chen, Y. (2012). The impact of cerium oxide nanoparticles on tomato (*Solanum lycopersicum* L.) and its implications for food safety. *Metallomics*, 4(10), 1105-1112.
- Wiesner-Reinhold, M., Schreiner, M., Baldermann, S., Schwarz, D., Hanschen, F. S., Kipp, A. P., ... & McKenzie, M. J. (2017). Mechanisms of selenium enrichment and measurement in brassicaceous vegetables, and their application to human health. *Frontiers in Plant Science*, *8*, 1365.
- Wu, J., Wang, G., Vijver, M. G., Bosker, T., & Peijnenburg, W. J. (2020). Foliar versus root exposure of AgNPs to lettuce: Phytotoxicity, antioxidant responses and internal translocation. *Environmental Pollution*, 261, 114117.
- Xiong, T., Dumat, C., Dappe, V., Vezin, H., Schreck, E., Shahid, M., ... & Sobanska, S. (2017). Copper oxide nanoparticle foliar uptake, phytotoxicity, and consequences for sustainable urban agriculture. *Environmental Science & Technology*, *51*(9), 5242-5251.
- Xiong, T., Zhang, T., Xian, Y., Kang, Z., Zhang, S., Dumat, C., ... & Li, S. (2021). Foliar uptake, biotransformation, and impact of CuO nanoparticles in *Lactuca sativa* L. var. ramosa Hort. *Environmental Geochemistry and Health, 43*, 423-439.

Zhang, Z., Guo, H., Carlisle, T., Mukherjee, A., Kinchla, A., White, J. C., ... & He, L. (2016). Evaluation of postharvest washing on removal of silver nanoparticles (AgNPs) from spinach leaves. *Journal of Agricultural and Food Chemistry*, 64(37), 6916-6922.

Zielińska, A., Carreiró, F., Oliveira, A. M., Neves, A., Pires, B., Venkatesh, D. N., ... & Souto, E. B. (2020). Polymeric nanoparticles: production, characterization, toxicology and ecotoxicology. *Molecules*, 25(16), 3731.